



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/711,139

08/27/2004

Chi-Cheng Ju

MTKP0082USA

5138

27765

7590

12/23/2010

NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION

P.O. BOX 506

MERRIFIELD, VA 22116

EXAMINER

FINDLEY, CHRISTOPHER G

ART UNIT

PAPER NUMBER

2482

NOTIFICATION DATE

DELIVERY MODE

12/23/2010

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

Patent.admin.uspto.Rcv@naipo.com

mis.ap.uspto@naipo.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/711,139	<b>Applicant(s)</b> JU, CHI-CHENG	
	<b>Examiner</b> CHRISTOPHER FINDLEY	<b>Art Unit</b> 2482	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 20 October 2010.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,3,5-8,10 and 14-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3,5-8,10 and 14-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                    | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

**DETAILED ACTION*****Response to Arguments***

1. Applicant's arguments filed 10/20/2010 have been fully considered but they are not persuasive. Re claims 1 and 10, the Applicant contends that the prior art cited fails to teach or suggest that the decoder and the encoder operate concurrently. However, the Examiner respectfully disagrees. Diaz discloses that a goal is to have the decoder/encoder 45 operate in real time without dropping so many frames that it becomes noticeable to the human viewer of the movie, wherein to operate in real time the decoder/encoder 45 **should decode and/or encode images fast enough so that any delay in decoding and/or encoding cannot be detected by a human viewer** (Diaz: column 6, lines 41-46, emphasis added). Therefore, provisions are made in Diaz for operation of the system while decoding and encoding pictures (i.e., concurrently).

***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claims 1-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Diaz et al. (US 5812789 A) in view of Sun et al., MPEG Coding Performance Improvement by Jointly Optimizing Coding Mode Decisions and Rate Control; IEEE Transactions on Circuits and Systems for Video Technology, Vol. 7, No. 3, June 1997, pages 449-458 (hereinafter referred to as "Sun").**

Re **claim 1**, Diaz discloses a video signal processing system for encoding an encoding bit stream according to characteristics of a decoding bit stream, the encoding and decoding bit streams include a plurality of encoding schemes comprising intra encoding, predictive encoding, and bidirectionally predictive encoding, the video signal processing system comprising: a storage device utilized for storing data of the decoding bit stream and the encoding bit stream (Diaz: Fig. 2, memory 50); a decoder

Art Unit: 2482

electrically connected to the storage device for decoding bit streams (Diaz: Fig. 2, decoder 44); and an encoder electrically connected to the storage device (Diaz: Fig. 2, encoder 46); wherein the decoder and the encoder operate concurrently (Diaz: column 6, lines 41-46).

Diaz does not explicitly disclose the encoder selecting at least one encoding scheme to encode the encoding bit stream according to a current encoding scheme for the decoder to decode the decoding bit stream such that the goal of limiting a maximum memory bandwidth required for encoding and decoding is reached. However, Sun discloses an MPEG coding performance improvement by jointly optimizing coding mode decisions and rate control, wherein for each mode considered the macroblock is coded based on the already determined mode of the preceding macroblock, and a "best" mode is determined to be the mode which yields the smallest rate distortion characteristics (Sun: page 452, left column section B). Since both Diaz and Sun relate to optimizing data rates, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the optimized coding mode decisions of Sun with the system of Diaz in order to provide a system which is realistically capable of selecting an optimal coding mode in real-time (Sun: page 449, right column first full paragraph).

Re **claim 3**, Diaz discloses that when the current encoding scheme for the decoder to decode the decoding bit stream is bi-directional predictive encoding, the encoder prevents selecting bi-directional predictive encoding to encode the encoding bit stream to prevent bandwidth together used by the encoder and the decoder exceeds the maximum memory bandwidth (Diaz: column 10, lines 43-47, a memory access operation may be preempted when the burst length is too long).

Re **claim 5**, Diaz discloses that when the current encoding scheme for the decoder to decode the decoding bit stream is the intra encoding, the encoding scheme for the encoder to encode the encoding bit stream is one of the intra encoding, the predictive encoding, and the bidirectionally predictive encoding (Diaz: column 8, lines 19-29, MPEG inherently utilizes one of intra, predicted, or bidirectionally predicted coding modes).

Re **claim 6**, Diaz discloses that when the current encoding scheme for the decoder to decode the decoding bit stream is the predictive encoding, the encoding scheme for the encoder to encode the encoding bit stream is one of the intra encoding, and the predictive encoding (Diaz: column 8, lines 19-29,

Art Unit: 2482

MPEG inherently utilizes one of intra, predicted, or bidirectionally predicted coding modes; column 3, lines 26-39, dropping frames to reduce required memory bandwidth).

Re **claim 7**, Diaz discloses that when the current encoding scheme for the decoder to decode the decoding bit stream is the bidirectionally predictive encoding, the encoding scheme for the encoder to encode the encoding bit stream is the intra encoding (Diaz: column 8, lines 19-29, MPEG inherently utilizes one of intra, predicted, or bidirectionally predicted coding modes; column 3, lines 26-39, dropping frames to reduce required memory bandwidth).

Re **claim 8**, Diaz discloses that the storage device is a memory (Diaz: Fig. 2, memory 50), and the video signal processing system further comprises a memory interface for controlling access to the memory (Diaz: Fig. 2, memory interface 48).

Re **claim 10**, Diaz discloses a video signal encoding and decoding method for encoding an encoding bit stream according to characteristics of a decoding bit stream, the encoding and decoding bit streams include a plurality of encoding schemes comprising intra encoding, predictive encoding, and bidirectionally predictive encoding, the video signal encoding and decoding method comprising: (a) checking a current encoding scheme of the decoding bit stream to decide an encoding scheme for encoding the encoding bit stream (Diaz: column 8, lines 19-29, the decoder/encoder is capable of utilizing multiple coding standards; column 6, lines 32-38, the type of coding standard factors into bandwidth calculations; column 6, lines 12-13, the DMA engine may be an integrated part of the decoder/encoder); wherein the decoder and the encoder operate concurrently (Diaz: column 6, lines 41-46).

Diaz discloses that intra coded images (I frames) do not require access to the stored images, so they use no memory bandwidth (column 7, lines 16-22) and some images are decoded based on previous images (P frames) and some images are decoded based previous and future images (B frames) (column 3, lines 26-39), wherein more memory bandwidth would be required for accessing two images as opposed to just one image, but Diaz does not specifically disclose (b) encoding the encoding bit stream using one of the plurality of encoding schemes such that the goal of limiting a maximum memory bandwidth required for encoding and decoding is reached. However, Sun discloses an MPEG coding performance improvement by jointly optimizing coding mode decisions and rate control, wherein for each

Art Unit: 2482

mode considered the macroblock is coded based on the already determined mode of the preceding macroblock, and a "best" mode is determined to be the mode which yields the smallest rate distortion characteristics (Sun: page 452, left column section B). Since both Diaz and Sun relate to optimizing data rates, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the optimized coding mode decisions of Sun with the system of Diaz in order to provide a system which is realistically capable of selecting an optimal coding mode in real-time (Sun: page 449, right column first full paragraph).

**Claim 14** has been analyzed and rejected with respect to claim 5 above.

**Claim 15** has been analyzed and rejected with respect to claim 6 above.

**Claim 16** has been analyzed and rejected with respect to claim 7 above.

Re **claim 17**, Diaz discloses that the decoding bit stream and the encoding bit stream are both accessed through the same memory interface circuit corresponding to a memory (Diaz: Fig. 2, decoder 44 and encoder 46 are both connected to memory 50 via the memory interface 48 and the DMA engine 52).

Re **claim 18**, Diaz discloses that the encoding bit Stream is an encoding bit stream corresponding to a picture (Diaz: Fig. 2, video decoding circuit 12 and video encoding circuit 62 process video data, which corresponds to sequences of pictures).

Re **claim 19**, Diaz discloses that the encoding bit stream is an encoding bit stream corresponding to a block of a picture (Diaz: column 8, lines 19-29, MPEG inherently provides for processing video in blocks of pixels).

Re **claim 20**, Diaz discloses that the block is a macroblock (Diaz: column 8, lines 19-29, MPEG inherently provides for processing video in macroblocks of 16X16 pixels).

**Claim 21** has been analyzed and rejected with respect to claim 5 above.

Re **claim 22**, Diaz discloses encoding the block according to the intra encoding when the encoding scheme of the picture is the intra encoding (Diaz: column 8, lines 19-29, MPEG inherently utilizes one of intra, predicted, or bidirectionally predicted coding modes).

Art Unit: 2482

Re **claim 23**, the combined system of Diaz and Miyawaki discloses a majority of the features of claim 23, as discussed above in claim 21. Additionally, Diaz discloses encoding the block according to one of the intra encoding and the forward motion compensation encoding when the encoding scheme of the picture is the predictive encoding (Diaz: column 8, lines 19-29, MPEG inherently utilizes one of intra, predicted, or bidirectionally predicted coding modes).

Re **claim 24**, Diaz discloses encoding the block according to one of the intra encoding, the forward motion compensation encoding, the backward motion compensation encoding, and the bidirectional motion compensation encoding when the encoding scheme of the picture is the bidirectionally predictive encoding (Diaz: column 8, lines 19-29, MPEG inherently utilizes one of intra, predicted, or bidirectionally predicted coding modes).

Re **claim 25**, Diaz discloses encoding the block according to one of the forward motion compensation encoding, the backward motion compensation encoding, and the bidirectional motion compensation encoding when the encoding scheme of the picture is the bidirectionally predictive encoding (Diaz: column 8, lines 19-29, MPEG inherently utilizes one of intra, predicted, or bidirectionally predicted coding modes).

### ***Conclusion***

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
  - a. Memory management for an MPEG2 compliant decoder; Cheney et al. (US 5668599 A)
  - b. Methods and apparatus for processing luminance and chrominance image data; Pearlstein et al. (US 6385248 B1)
  - c. System and method for adaptive video processing with coordinated resource allocation; Rodriguez et al. (US 20020009149 A1)
  - d. Recording apparatus and coding apparatus; Fukuda et al. (US 6856759 B1)
  - e. Moving image encoding method and apparatus, and moving image decoding method and apparatus; Kato (US 6415055 B1)

Art Unit: 2482

- f. Method controlling memory access operations by changing respective priorities thereof, based on a situation of the memory, and a system and an integrated circuit implementing the method; Miyawaki et al. (US 5752266 A)

### ***Contact***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTOPHER FINDLEY whose telephone number is (571)270-1199. The examiner can normally be reached on Monday-Friday (8:30 AM-5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha D. Banks-Harold can be reached on 571-272-7905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Marsha D. Banks-Harold/  
Supervisory Patent Examiner, Art Unit 2482

/Christopher Findley/